

FOR EXTERNAL USE ONLY

F10[®] SC

Veterinary Disinfectant

Didecyldimethylammonium chloride 28,0 g/L
 Alkyl(C12-C16)dimethylbenzylammonium chloride 26,0 g/L

FORMULATION TYPE: SOLUBLE CONCENTRATE

Aldehyde & Iodine Free Store below 30°C in dry conditions

• **NON-IRRITATING** • **NON-CORROSIVE** • **BIODEGRADABLE**

Manufacturer:
 Health and Hygiene (Pty) Ltd, PO Box 906, Florida Hills, 1716, South Africa.
 Tel +27 11 474 1668
 email: info@f10products.co.uk; www.f10products.co.uk

KEEP OUT OF REACH OF CHILDREN

1ℓ

DIRECTIONS FOR USE

Use only as directed. Use biocides safely and sustainably. It is illegal to use this product for uses or in a manner other than prescribed on this label.

Disinfection of hard surfaces and equipment

- Clear away loose debris, clean with F10SCXD Veterinary Disinfectant/ Cleanser or F919SC Biofilm Remover, if necessary, and rinse off.
- Dilute F10SC VETERINARY DISINFECTANT with clean water, as per instructions below, and apply as a wash, or through a spray or fogger and leave to dry.

Disinfection of air spaces

Apply F10SC VETERINARY DISINFECTANT in accordance with dilution table using an atomiser/fogger and leave to dry.

Spraying and fogging applications

Droplet size varies with differing spray nozzles. If this causes irritation wear a disposable face mask

Replace cap after use.

DILUTION TABLE

Application	Dilution	Contact Time
General Disinfection of hard surfaces and food containers to kill bacteria and yeasts	1 : 500 water (2ml in 1L)	5 minutes
High Level Disinfection of hard surfaces, equipment and air spaces to kill bacteria, yeasts, fungi and most enveloped viruses	1 : 250 water (4ml in 1L)	15 minutes
Use against Non Enveloped viruses e.g. PBFD, Parvovirus and bacterial-fungal spores	1 : 100 water (10ml in 1L)	30 minutes
Use against Protozoa e.g. Giardia lamblia and Cryptosporidium parvum	1 : 100 water (10ml in 1L)	60 minutes

Batch No:

Expiry date:

HAZARD STATEMENTS

- Causes serious eye damage
- Harmful to aquatic life with long-lasting effects

**DANGER****FIRST AID MEASURES**

GENERALLY In case of concern, or if symptoms occur, call a doctor/physician. Never attempt to administer liquid, or anything else, to an unconscious person via the mouth.
UPON BREATHING IN Allow the injured person to rest in a warm place with fresh air, seek medical advice.
UPON EYE CONTACT Remove contact lenses immediately if possible. Flush immediately with luke-warm water for 15-20 minutes with wide-open eyes. Transport the injured person to a hospital immediately! Important! Also flush during transport to hospital (eye specialist).
UPON SKIN CONTACT Remove contaminated clothing. Wash the skin with soap and water. If symptoms occur, contact a physician.
UPON INGESTION Rinse mouth out thoroughly first with water, then SPIT OUT the rinsed water. Drink at least half a litre of water and seek medical advice. DO NOT INDUCE VOMITING.

SUPPLEMENTARY INFORMATION

- Keep out of reach of children
- Avoid release to the environment
- Dispose of content/container in accordance with local regulations.
- Consult Safety Data Sheet when in doubt.
- Do not mix with soaps and other chemicals.
- Poisons information: For information or to report a poisoning incident contact The National Poisons Information Centre.



UK333-02/24